



0800 / 12 24 100\*

\*Toll-free calls throughout Germany



COMPETENT. FAST. RELIABLE

## ACR-KLS-4/5 – Technical Specifications – Portable Air-Conditioner



### Technical specifications:

<b>*Cooling capacity</b>	<b>kW</b>	<b>3,7</b>	<b>5,2</b>
Power input	kW	1,5	2,0
Voltage	V/Hz/Ph	230/50/1	
Operating current	A	7	9,3
Electrical connection	Schuko Socket		
** Fuse protection	A	10	
** Cable recommendation	mm <sup>2</sup>	2,5	
Air circulation	m <sup>3</sup> /h	472	680
Dehumidifying capacity	l/h	1,9	2,2
Length exhaust hose	m	1,25	1,5
Diameter exhaust hose	mm	140	160
Refrigerant	R	410	290
Sound pressure at 1m	dB(A)	56	55
Transport weight	kg	36	
Dimensions (l x w x h)	mm	490x380x790	

\* Design conditions: Room temperature 26°C, 55% relative humidity, Ambient temperature 30°C

\*\* On-Site power installation should be entrusted to an electrical specialist.

### Quick overview

Rotation  
Compressor

Refrigerant



Air Hose

Cooling  
Temperature

+15°C bis +25°C

Sound  
Level

low noise

Different requirements and applications can be provided on request!

### Technical description:

Mobile air conditioner for immediate use. If it is too warm in your office, server room or meeting room, this acr air conditioner will soon provide the perfect climate. The unit is suitable for rooms up to a volume of 170m<sup>3</sup>. The waste heat is discharged through an exhaust air hose out of the window or through a wall duct. Any condensation is collected in an integrated container and can also be fed into an external vessel if necessary.