

COMPETENT EAST DELIABLE

# ACR-M-180/P - Technical Specifications - Rental Chiller



## Quick overview

Scroll Compressor Refrigerant

Process Temperature

Integrated Pump Sound Level











### Optionally accessories

Cold Water Tubes Heat Exchanger

Ext. Buffer Storage Electrical Cables Remote Monitoring











Different requirements and applications can be provided on request!

#### **Technical specifications:**

*Cooling capacity	kW	171
Power input	kW	60
Voltage	V/Hz/Ph	400/50/3
Operating current	Α	152
Electrical connection	Cable terminals	3 Ph + PE
** Fuse protection	Α	160
** Cable recommendation	mm <sup>2</sup>	4x70
Flow rate	m³/h	29,2
May aparating processes	bar	10
Max. operating pressure	bai	10
External pressure head	m	10
External pressure head	m	10
External pressure head Cold water connections	m Storz	10 A
External pressure head Cold water connections Capacity control	m Storz	10 A 4
External pressure head Cold water connections Capacity control Refrigerant	m Storz Steps	10 A 4 R410A
External pressure head Cold water connections Capacity control Refrigerant Sound pressure at 5m	m Storz Steps - dB(A)	10 A 4 R410A

Design conditions: Evaporator water temperatures 12/7°, Ambient temperature 35 °C

#### **Technical description:**

Air cooled corrosion resistant chiller for outdoor locations. This mechanical refrigeration unit for providing cold water is equipped with very quiet running scroll compressors. The liquid cooler has an integrated cold water pump head height of 10m (100kPa), it should be set up on a horizontal, stable work area and have at least 1m free space to all sides. All controls and regulators are contained within the housing.

<sup>\*\*</sup> On-Site power installation should be entrusted to an electrical specialist.